UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/657,915	09/09/2003	Kenneth M. Adams	M190.145.101	7670	
Timothy A. Cz	7590 08/08/2007 aia Eso	EXAMINER			
DICKE, BILLIG & CZAJA, PLLC			HOFFMAN, MARY C		
Fifth Street Towers, Suite 2250 100 South Fifth Street		ART UNIT	PAPER NUMBER		
	Minneapolis, MN 55402			3733	
			MAIL DATE	DELIVERY MODE	
			08/08/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

·						
	Application No.	Applicant(s)				
Office Action Commission	10/657,915	ADAMS ET AL.				
Office Action Summary	Examiner	Art Unit				
7	Mary Hoffman	3733				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DATE - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period value of the provision of the prov	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 30 M	ay 2007.					
2a) ☐ This action is <b>FINAL</b> . 2b) ☑ This	☐ This action is FINAL. 2b) ☑ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-24 and 30-34</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-24,30-34</u> is/are rejected. 7)□ Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.	•				
	·					
Application Papers	•					
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>09 September 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	)-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
See the attached detailed Office action for a list of the certified copies not received.						
Attachmant/a						
Attachment(s)  1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail D  5) Notice of Informal F	ate				
3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application 6) Other:						

# \* .

### **DETAILED ACTION**

## Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claim 30 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The term "continuous circumferential surface" is not found in the specification. This is being considered new matter, because the disclosure does not show a continuous circumferential surface on the cutting tip, rather, it discloses a fluted surface. Therefore, the circumferential surface would be interrupted by the plurality of cutting flutes and would not be continuous.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

<sup>(</sup>b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 3733

Claims 1, 9, 17 and 22-23 are rejected under 35 U.S.C. 102(b) as being anticipated by Adams (U.S. Patent No. 6,503,263).

Adams discloses a surgical micro-burring instrument see FIG. 2 and FIG. 4A-B) comprising an outer tubular member (ref. #18) having a proximal section, an intermediate section, a distal section, and a central lumen (ref. #36) extending from the proximal section to the distal section, the distal section forming a pocket (ref. #65) fluidly connected to the central lumen, the pocket having a bottom surface and an opposed upper opening; an elevator tip (ref. #68) extending distal the pocket; and an inner tubular (ref. #22) member rotatably received within the central lumen, a distal end of the inner tubular member forming a bur (ref. #150) positioned within the pocket. Upon final assembly, at least a portion of the bur is exposed relative to the outer tubular member via the upper opening of the pocket (functional/intended use recitation). The pocket terminates at a distal-most end. The elevator tip includes an upper surface extending from the distal-most end of the pocket, the upper surface including a proximal region and a distal region, wherein at least a portion of the distal region extends from the proximal region in an angular fashion in longitudinal cross-section. A least a portion of the proximal region of the top surface of the elevator tip extends downwardly from the distal-most end of the pocket. The proximal region is curved in longitudinal crosssection. The elevator tip terminates in a distal end point, and further wherein the distal end point is laterally above the distal-most end of the pocket when the outer tubular member is oriented such that the bottom surface of the pocket is below the upper opening. The pocket is further terminates at a distal-most end point, and further wherein

Art Unit: 3733

upon final assembly, a distal end of the bur is longitudinally spaced from the distal-most end point. The instrument is adapted for use in a septoplasty procedure (functional/intended use recitation). The elevator tip is selectively axially moveable relative to the bur.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

In the alternative to the 35 U.S.C. 102(b) rejection as being anticipated by Adams (U.S. Patent No. 6,503,263) above, claims 1, 9, 17 and 22-23, as well as claims 2-8, 10-14 and 30-32, are also rejected under 35 U.S.C. 103(a) as being unpatentable over Adams (U.S. Patent No. 6,503,263) in view of Marino et al. (U.S. Patent No. 6,280,447).

Adams discloses a surgical instrument see FIG. 2 and FIG. 4A-B) comprising an outer tubular member (ref. #18) having a proximal section, an intermediate section, a distal section, and a central lumen (ref. #36) extending from the proximal section to the distal section, the distal section forming a pocket (ref. #65) fluidly connected to the central lumen, the pocket having a bottom surface and an opposed upper opening; an elevator tip (ref. #68) extending distal the pocket; and an inner tubular (ref. #22) member rotatably received within the central lumen, a distal end of the inner tubular

Art Unit: 3733

member forming a cutting tip (ref. #150) positioned within the pocket. Upon final assembly, at least a portion of the cutting tip is exposed relative to the outer tubular member via the upper opening of the pocket (functional/intended use recitation). The pocket terminates at a distal-most end. The elevator tip includes an upper surface extending from the distal-most end of the pocket, the upper surface including a proximal region and a distal region, wherein at least a portion of the distal region extends from the proximal region in an angular fashion in longitudinal cross-section. A least a portion of the proximal region of the top surface of the elevator tip extends downwardly from the distal-most end of the pocket. The proximal region is curved in longitudinal crosssection. The elevator tip terminates in a distal end point, and further wherein the distal end point is laterally above the distal-most end of the pocket when the outer tubular member is oriented such that the bottom surface of the pocket is below the upper opening. The pocket is further terminates at a distal-most end point, and further wherein upon final assembly, a distal end of the cutting tip is longitudinally spaced from the distal-most end point. The instrument is adapted for use in a septoplasty procedure (functional/intended use recitation). The elevator tip is selectively axially moveable relative to the cutting tip.

Adams disclose the claimed invention except for specifically defining the cutting tip for resection as a cylindrical burr with cutting protrusions (flutes), and except for the following ranges and optimum values: the elevator tip distally extending at least 0.05 inch relative to the distal-most end of the pocket, the angular extension of the distal region defining an included angle in the range of 10 degrees-50 degrees relative to a

Art Unit: 3733

central axis of the outer tubular member, specifically 20 degrees and 40 degrees, the angular extension of the proximal zone defining an included angle in the range of 100 degrees-140 degrees relative to a central axis of the proximal portion, specifically approximately 120 degrees. Also, Adams fails to disclose the specific shape/configuration of the pocket region.

Marino et al. disclose that a cylindrical burr with cutting protrusions can be used as a resection tool to resect bony tissue (see Abstract and col. 1, lines 21-34).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the cutting tip Marino et al. as a cylindrical burr with cutting protrusions to resect bony tissue.

Regarding claims 2-8 and 11-12, it would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Adams and Marino et al. with the elevator tip distally extending at least 0.05 inch relative to the distal-most end of the pocket, the angular extension of the distal region defining an included angle in the range of 10 degrees-50 degrees relative to a central axis of the outer tubular member, specifically 20 degrees and 40 degrees, the angular extension of the proximal zone defining an included angle in the range of 100 degrees-140 degrees relative to a central axis of the proximal portion, specifically approximately 120 degrees, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art and it has also been held that where the general conditions of a claim are disclosed in the prior art, discovering the

Art Unit: 3733

optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

Regarding claims 10, 13-14 and 33, it would have been an obvious matter of design choice to one skilled in the art at the time the invention was made to construct the pocket region of Adams in view of Marino et al. in the specific shape/configuration claimed by Applicant, since it is one of numerous shapes or configurations a person ordinary skill in the art would find obvious for the purpose of providing a pocket region. In re Dailey and Eilers, 149 USPQ 47 (1966).

Claims 15-16 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adams (U.S. Patent No. 6,503,263) and Marino et al. (U.S. Patent No. 6,280,447) further in view of Toriumi et al. (U.S. Patent No. 6,214,009).

Adams and Marino et al. disclose the claimed invention except for the bottom surface forms openings fluidly connected to an irrigation source by an irrigation tube extending exteriorly along the outer tubular member and fluidly connected to the openings.

Toriumi discloses a bottom surface that forms openings (ref. #42) fluidly connected to an irrigation source by an irrigation tube (ref. #30) extending exteriorly along the outer tubular member and fluidly connected to the openings to deliver irrigating fluid to the cutting tip (col. 3, lines 1-6).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Adams and Marino et al. with a bottom surface that forms openings fluidly connected to an irrigation source by an irrigation

Art Unit: 3733

tube extending exteriorly along the outer tubular member and fluidly connected to the openings further in view of Toriumi to deliver irrigating fluid to the cutting tip.

Claims 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adams (U.S. Patent No. 6,503,263) and Marino et al. (U.S. Patent No. 6,280,447) further in view of Adams (U.S. Patent No. 6,312,438).

Adams '263 in view of Marino et al. discloses the claimed invention except for an aspiration passage extending through the outer tubular member for aspirating cut tissue and the inner tubular member forms a lumen defining the aspiration passage with the bur forming an opening at a distal end thereof, and further wherein the opening is in fluid communication with the lumen of the inner tubular member.

Adams '438 discloses an aspiration passage extending through the outer tubular member for aspirating cut tissue and the inner tubular member forms a lumen defining the aspiration passage with the bur forming an opening at a distal end thereof, and further wherein the opening is in fluid communication with the lumen of the inner tubular member (col. 3, lines 36-46) in order to define a suction passage through the inner member by which debris, such as tissue, blood, and saline, is aspirated.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Adams '263 and Marino et al. with an aspiration passage extending through the outer tubular member for aspirating cut tissue and the inner tubular member forms a lumen defining the aspiration passage with the bur forming an opening at a distal end thereof, and further wherein the opening is in fluid communication with the lumen of the inner tubular member further in view of

Art Unit: 3733

Adams '438 in order to define a suction passage through the inner member by which debris, such as tissue, blood, and saline, is aspirated.

Claims 20-21 are also rejected under 35 U.S.C. 103(a) as being unpatentable over Adams (U.S. Patent No. 6,503,263) and Marino et al. (U.S. Patent No. 6,280,447) in view of Adams (U.S. Patent No. 6,312,438).

Adams '263 and Marino et al. discloses the claimed invention except for the intermediate section of the outer tubular member defining a longitudinal bend approximately 12 degrees relative to a central axis defined by the proximal section.

Adams '438 discloses the intermediate section of the outer tubular member defining a longitudinal bend approximately 12 degrees relative to a central axis defined by the proximal section (col. 4, lines 65-67) in order to provide access to surgical sites (col. 1, lines 45-50)

It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Adams '263 and Marino et al. with the intermediate section of the outer tubular member defining a longitudinal bend approximately 12 degrees relative to a central axis defined by the proximal section in view of Adams '438 in order to provide access to surgical sites.

Claim 24 is rejected under 35 U.S.C. 103(a) as being unpatentable over Adams (U.S. Patent No. 6,503,263) and Marino et al. (U.S. Patent No. 6,280,447) further in view of West, Jr. (U.S. Patent No. 5,364,395).

Adams and Marino et al. discloses the claimed invention except for an intermediate tubular member co-axially disposed between the inner tubular member and

Art Unit: 3733

the outer tubular member, the intermediate tubular member forming a distal window through which at least a portion of the bur is exposed; wherein the outer tubular member is slidably received over the intermediate tubular member.

West, Jr. discloses an intermediate tubular (ref. #92) member co-axially disposed between the inner tubular member and the outer tubular member, the intermediate tubular member forming a distal window through which at least a portion of the bur is exposed; wherein the outer tubular member is slidably received over the intermediate tubular member in order to provide an electrically insulative layer (col. 9, lines 55-67).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to construct the device of Adams and Marino et al. with an intermediate tubular member co-axially disposed between the inner tubular member and the outer tubular member, the intermediate tubular member forming a distal window through which at least a portion of the bur is exposed; wherein the outer tubular member is slidably received over the intermediate tubular member in view of West, Jr. in order to provide an electrically insulative layer.

### Response to Arguments

Applicant's arguments filed 05/30/2007 have been fully considered but they are not persuasive.

Applicant argues that 1.) the cutting tip, ref. #150, of Adams cannot be considered a "bur" because the cutting tip for resection disclosed by Adams does not have a continuous perimeter, and that 2.) Adams does not disclose a cutting tip capable

Art Unit: 3733

of removing hard bone or cartilage. Applicant further states that 3.) micro-resecting is discrete from burring, and therefore, the cutting tip, ref. # 150, of Adams cannot be considered a bur.

The examiner respectfully disagrees with Applicant. First, it is noted that one of the definitions of a "burr" is "Any of various rotary cutting tools designed to be attached to a drill. "The American Heritage® Dictionary of the English Language, Fourth Edition. Houghton Mifflin Company, 2004. 30 Jul. 2007. <Dictionary.com

<a href="http://dictionary.reference.com/browse/burr">http://dictionary.reference.com/browse/burr</a>>. Thus, Applicant's assertion that a bur must have a continuous perimeter is not deemed persuasive, since clearly Adams states that the cutting tip, ref. #150, is used with a hand piece (not shown), and these hand pieces are also described in col. 1, lines 15-30, where Applicant states that the headpieces can be rotating and/or oscillating. Since it is clear that the cutting tip is designed to be connected to hand pieces that rotate and/or oscillate via hub, ref. #20, see col. 6, lines 49-51, then the cutting tip of Adams can be considered rotary cutting tool designed to be attached to a drill.

Second, in response to Applicant's argument that Adams does not include certain features of Applicant's invention, the limitations on which the Applicant relies (i.e., Adams does not disclose a cutting tip capable of removing hard bone or cartilage) are not stated in the claims. Therefore, it is irrelevant whether the reference includes those features or not.

Third, Applicant's assertion that micro-resecting is discrete from burring is not persuasive. It is noted that resection is the removal of a part of a structure, tissue, or

Art Unit: 3733

organ, and the term "resecting" does not provide structure that would exclude a burr as being the resecting instrument. Also, for example, in evidentiary patent 6,280,447 to Marino et al., it is clear that a resecting tool can be called a burr, since the patent calls the cutting tip a "resecting burr" in col. 1, lines 25-30. The patent further details the resection of the facet joint via a burr.

It is further noted that Adams discloses in col. 6, lines 55-60 that the cutting tip 150 can assume a wide variety of forms, and preferably forms a series of teeth or cutting edges designed to engage and resect (or shave) tissue. Thus, even if Applicant were correct in arguing that Adams does not disclose what can be considered a burr, it would have been obvious to one of ordinary skill in the art to substitute the cutting tip 150 of Adams with a burr to resect bony tissue (see 35 U.S.C. 103(a) rejection in the alternative, above).

The rejections are deemed proper.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Hoffman whose telephone number is 571-272-5566. The examiner can normally be reached on Monday-Friday 9:00-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eduardo C. Robert can be reached on 571-272-4719. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/657,915 Page 13

Art Unit: 3733

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MCH

EDUARDO C. NOBERT
SUPERVISOR: PATENT EXAMINER